

在本次演講中，我將介紹這些新方法，它們可以使大數據計算技術具有計算效率，可擴展到大數據，直接以並行和分佈式方式執行順序算法，並在不受內存限制的情況下分析大數據。

DOI 10.18699/sblai2023-06

A formalization of Cognitive behavioral therapy in logic based on modal reasoning

Ilić Stepić A.*, Ognjanović Z.**

Mathematical Institute of the Serbian Academy of Sciences and Arts,
Belgrade, Serbia

* angelina@mi.sanu.ac.rs, ** zorano@mi.sanu.ac.rs

Cognitive behavioral therapy (CBT) is a common type of talk therapy based on assumption/fact that emotions primarily result from our thoughts, and hence we can release from negative (dysfunctional) emotions by changing our way of reasoning. This therapy has made great successes in treatment of variety of emotional psychological and psychiatric difficulties (Panic, Obsessive Compulsive Disorder, Phobias, Post-traumatic Stress Disorder, Depression, Eating disorders, Sexual Dysfunction, Social Anxiety, Anger and Stress Management, Child behavior problems etc.). Using the fact that the principles of CBT already rely on correct logical cognition, we construct the logic LCBT that formalizes those principles by introducing operators for expression of human desires and putting them in the frame of modal reasoning.

Since it turned out that Kripke worlds naturally present all possible circumstances which one can experience, we use Kripke-like models as corresponding semantics and give sound and complete axiomatic system. It is proved that the corresponding satisfiability and validity problems are decidable.

認知行為療法的形式化

在基於模態推理的邏輯中

Ilić Stepić A.*, Ognjanović Z.**

安吉麗娜·伊利奇·斯特皮奇，佐蘭·奧格尼亞諾維奇

塞爾維亞科學與藝術學院數學研究所

貝爾格萊德，塞爾維亞

* angelina@mi.sanu.ac.rs, ** zorano@mi.sanu.ac.rs

抽象的。 認知行為療法 (CBT)

是一種常見的談話療法，它基於以下假設/事實：情緒主要來自我們的思想，因此我們可以通過改變我們的推理方式來釋放消極（功能失調）的情緒。

該療法在治療各種情緒心理和精神疾病（恐慌症、強迫症、恐懼症、創傷後應激障礙、抑鬱症、進食障礙、性功能障礙、社交焦慮、憤怒和壓力管理、兒童行為問題）方面取得了巨大成功 etc.）。利用 CBT 的原則已經依賴於正確的邏輯思考這一事實，我們構建了邏輯 LCBT，通過引入用於表達人類慾望的運算符並將它們置於模態推理的框架中，將這些原則形式化。

由於事實證明克里普克世界自然地呈現了人們可能經歷的所有可能情況，因此我們使用類克里普克模型作為相應的語義，並給出了完善的公理化體系。

證明相應的可滿足性和有效性問題是可判定的。